

Lista Industrial Workbenches



Rugged Lista industrial workbenches stand up to the demands of the harshest environments. At General Hydrogen, a Lista bench with galvanized steel worksurface is used as a welding station. The double width cabinet pedestal allows the storage of welding rods in adjacent drawers.

Lista Industrial Workbenches



Industrial Workbench Features	48
Industrial Workbench Examples	50
Industrial Workbench Easy-Order Combinations	52
Industrial Workbench Easy-Order Mobile Combinations	54
Industrial Workbench Worksurfaces	56
Industrial Workbench Under-Worksurface Legs and Accessories	57
Industrial Workbench Above-Worksurface Accessories	58
How to Order Industrial Workbench Custom Configurations	59



Lista Industrial Workbench Features

Rugged. Durable. Built to handle the harshest work environments. Lista's industrial workbenches feature flexible

standard components and can be cost-effectively configured to meet the specific needs of your application.

Feature: Wide choice of above-worksurface accessories

Create task-specific configurations

Benefit: Greater productivity and efficiency

Feature: Variety of worksurfaces

Durable tops come in a variety of sizes

Benefit: Worksurface always appropriate to application

Feature: Removable lock core

Locks can be replaced in the field

Benefit: Greater security, easy replacement

Feature: Ergonomic handles

When drawers are closed, handles are flush with housing so nothing protrudes. Drawer handles are located at top of drawer.

Benefit: Improves safety, appearance and ergonomics

Feature: Customizable drawer compartments

A wide variety of drawer accessories for maximum partitioning flexibility

Benefit: Better organization, faster retrieval

Feature: Choice of pedestal sizes and styles

Wide variety of workbench support options

Benefit: Customized to your needs

Feature: Heavy-duty welded leg

One-piece leg with bottom hole for leveling glides

Benefit: Provides support for heavy-duty applications

Feature: Mobility

Cabinets and legs are available with casters

Benefit: Work areas can easily be reconfigured, components can be moved to and from the work site





Lista Industrial Workbenches Make Any Workspace Work

Lista's rugged industrial workbench systems and their large variety of accessories can be configured to suit almost any application or working environment.

Sets of workbenches make maximum use of the available space in this machine tool room at the Mercedes-Benz Training Center.



At Landmark Aviation, corporate jets are repaired and maintained at durable Lista workbenches with the Nexus Accessory System. Cabinet pedestals with plenty of drawers provide storage for parts and tools, and the companion mobile cabinet allows additional storage with the convenience of mobility.



Mobile industrial workbenches can be moved right to the point of use, even in a crowded, busy machine shop.



Heavy-duty Lista industrial workbenches combine with Lista stacked cabinets to create an organized, efficient workspace that stands up to the challenges of this marine emergency response company.



A wide range of Lista workbenches brings Toyota Racing Development up to speed in a host of different departments. An industrial workbench provides a rock-solid platform for this inspection station.

Sturdy industrial workbenches at the Con Edison Corporate Learning Center have rugged galvanized steel worksurfaces for extra durability. Specialized testing equipment and heavy-duty components on the worksurfaces enhance this durable, ergonomic workspace.



Easy-Order workbenches include MP Width (22 3/16" wide) cabinet pedestals (see page 67 for description). Customer-specified cabinet pedestals (shown in gray) must be ordered separately – for Easy-Order cabinet pedestals, see pages 62-63 for Narrow Width cabinets and pages 68-69 for MP Width cabinets.

How to order an Easy-Order Industrial Workbench

1. Select Easy-Order workbench configuration.

2. ■ Select worksurface style. See page 56 for descriptions.

- LTS = Lista Top
- GLS = Galvanized steel
- PLS = Plastic laminate
- BTS = Butcher block

All worksurfaces have a standard square edge and are 30" deep.

3. ■ Select worksurface size.

- 4830 = 48" long x 30" deep
- 6030 = 60" long x 30" deep
- 7230 = 72" long x 30" deep

4. □ Select paint color. For color chart, see back cover or below.

EXAMPLE: to order a WB1201 workbench with a 72" long plastic laminate worksurface and Bright Blue paint, the part number would be **WB1201-PLS7230BB**.

5. Select cabinet pedestals (for WB03xx and WB06xx configurations). For Easy-Order cabinet pedestals, see pages 62-63 for Narrow Width cabinets and pages 68-69 for MP Width cabinets.

EXAMPLE (CUSTOMER-SPECIFIED CABINETS): to order a WB0300 workbench with a 72" long plastic laminate worksurface, and an MP0750-0601NA cabinet pedestal with Bright Blue paint, the workbench part number would be **WB0300-PLS7230BB**, and the cabinet part number would be **MP0750-0601NA-NBRGGB**.

Workbenches with 2 Lista Legs

Overall bench height including worksurface is 35 1/4". Includes:

- 2 Lista Legs (legs are 33 1/2" high)
- 1 stringer



PART NO.

WB1000- ■ ■ □

Workbenches with 2 Lista Legs and 1 Drawer

Overall bench height including worksurface is 35 1/4". Includes:

- 2 Lista Legs (legs are 33 1/2" high)
- 1 stringer
- 1 WBHC150-1 hanging cabinet



PART NO.

WB1100- ■ ■ □

Workbenches with 1 Lista Leg and 1 Cabinet

Overall bench height including worksurface is 35 1/4". Includes:

- 1 Lista Leg (leg is 33 1/2" high)
- 1 stringer
- 1 MP0600-0402NA-F6RG cabinet



PART NO.

WB1200- ■ ■ □



PART NO.

INCLUDES

WB1001- ■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB1101- ■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB1201- ■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB1002- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES


WB1102- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES


WB1202- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB1003- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB1103- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB1203- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops

Workbenches with 1 Leg and 1 Customer-Specified Cabinet

Overall bench height including work-surface is 35 1/4". Includes:

- 1 Lista Leg (leg is 33 1/2" high)
- 1 stringer
- cabinet pedestal chosen by customer



PART NO.

WB0300-

Workbenches with 2 Cabinets

Overall bench height including work-surface is 35 1/4". Includes:

- 1 MP0600-0402NA-F6KA cabinet*
 - 1 MP0600-0202NA-F6KA cabinet*
- *includes keyed-alike locks



PART NO.

WB1400-

Overall bench height including work-surface is 35 1/4". Includes:

- 1 MP0600-0501NA-F6KA cabinet*
 - 1 MP0600-0204D-F6KA cabinet*
- *includes keyed-alike locks



PART NO.

WB1500-

Workbenches with 2 Customer-Specified Cabinets


Overall bench height including work-surface is 35 1/4". Includes:

- 2 cabinet pedestals chosen by customer



PART NO.

WB0600-



PART NO.

INCLUDES

WB0301- back stop and end stops



PART NO.

INCLUDES


WB1401- back stop and end stops



PART NO.

INCLUDES

WB1501- back stop and end stops



PART NO.

INCLUDES

WB0601- back stop and end stops



PART NO.

INCLUDES

WB0302- stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB1402- stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB1502- stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB0602- stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB0303- 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES


WB1403- 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB1503- 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB0603- 12" adjustable riser shelf w/back stop workbench back stop and end stops

Easy-Order mobile workbenches include MP Width (22 3/16" wide) cabinet pedestal (see page 68 for description). They include 2 fixed and 2 swivel 6" x 2" casters with wheel locks.

How to order an Easy-Order Industrial Mobile Workbench

1. Select Easy-Order workbench configuration.

2. ■ Select worksurface style.

See page 56 for descriptions.

LTS = Lista Top

GLS = Galvanized steel

PLS = Plastic laminate

BTS = Butcher block

All worksurfaces have a standard square edge and are 30" deep.

3. ■ Select worksurface size.

4830 = 48" long x 30" deep

6030 = 60" long x 30" deep

7230 = 72" long x 30" deep

4. □ Select paint color. For color chart, see back cover or below.

EXAMPLE: to order a WB2201 workbench with a 72" long plastic laminate worksurface and Bright Blue paint, the part number would be **WB2201-PLS7230BB**.

Mobile Workbenches with 2 Lista Mobile Legs

Overall bench height including work-surface is 35 1/4". Includes:

- 2 Lista Mobile Legs (legs are 33 1/2" high)
- 1 stringer



PART NO.

WB2000- ■ ■ □

Mobile Workbenches with 2 Mobile Legs and 1 Drawer

Overall bench height including work-surface is 35 1/4". Includes:

- 2 Lista Mobile Legs (legs are 33 1/2" high)
- 1 stringer
- 1 WBHC150-1 hanging cabinet



PART NO.

WB2100- ■ ■ □

Mobile Workbenches with 1 Mobile Leg and 1 Cabinet

Overall bench height including work-surface is 37 1/4". Includes:

- 1 Lista Mobile Leg (leg is 35 1/2" high)
- 1 stringer
- 1 MP0600-0402NA cabinet



PART NO.

WB2200- ■ ■ □



PART NO.

INCLUDES

WB2001- ■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB2101- ■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB2201- ■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB2002- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES


WB2102- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES


WB2202- ■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB2003- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB2103- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB2203- ■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops

Mobile Workbenches with 1 Mobile Leg and 1 Cabinet

Overall bench height including work-surface is 37 ¼". Includes:

- 1 Lista Mobile Leg (leg is 35 ½" high)
- 1 stringer
- 1 MP0600-0202NA cabinet



PART NO.

WB2300-■ ■ □

Overall bench height including work-surface is 37 ¼". Includes:

- 1 Lista Mobile Leg (leg is 35 ½" high)
- 1 stringer
- 1 MP0600-0501NA cabinet



PART NO.

WB2400-■ ■ □



This corporate aircraft operator wanted to upgrade its maintenance facility to match the quality of its aircraft. Several mobile benches, including this mobile inspection station, are used in the company's hangar and support shop.



PART NO.

INCLUDES

WB2301-■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB2401-■ ■ □ back stop and end stops



PART NO.

INCLUDES

WB2302-■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



PART NO.

INCLUDES

WB2402-■ ■ □ stationary riser shelf with back stop + full rear panel workbench end stops



The mobile workbench used at this electronic repair facility brings repair tools and parts right to the point of use, without sacrificing durability and drawer storage space. The companion mobile storage cabinet (designed to be stored between the workbench cabinet pedestals) adds to the flexibility of this arrangement. For information on ordering mobile workbenches with two cabinet pedestals, contact your Lista distributor.



PART NO.

INCLUDES

WB2303-■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops



PART NO.

INCLUDES

WB2403-■ ■ □ 12" adjustable riser shelf with back stop workbench back stop and end stops

Lista worksurfaces are all easy to maintain, rugged, and durable.

Worksurfaces come in 48", 60", 72", 84", 90" and 96" lengths, and are 24", 30" or 36" deep, depending on worksurface. Other sizes are available, and certain worksurfaces are available with a bullnose front edge.



Butcher Block

Satin finish 1 3/4" thick hardwood. Available in standard square edge (shown above) or bullnose front edge. To order a bullnose edge, add "BN" to the end of the part number.

PART NO.	LENGTH
24" deep	
BTOP-4824	48"
BTOP-6024	60"
BTOP-7224	72"
BTOP-8424	84"
BTOP-9024	90"
BTOP-9624	96"
30" deep	
BTOP-48	48"
BTOP-60	60"
BTOP-72	72"
BTOP-84	84"
BTOP-90	90"
BTOP-96	96"
36" deep	
BTOP-4836	48"
BTOP-6036	60"
BTOP-7236	72"
BTOP-8436	84"
BTOP-9036	90"
BTOP-9636	96"



Lista Top

1 3/4" thick worksurface with wood core and 3/8" thick sanded oil-resistant pressed wood, top and bottom.

PART NO.	LENGTH
30" deep	
LTOP-48	48"
LTOP-60	60"
LTOP-72	72"
LTOP-84*	84"
LTOP-90*	90"
LTOP-96*	96"
36" deep	
LTOP-4836	48"
LTOP-6036	60"
LTOP-7236	72"
LTOP-8436*	84"
LTOP-9036*	90"
LTOP-9636*	96"

*requires additional support (third leg or hat section stiffener)



Galvanized Steel Over Wood

Lista Top with additional heavy-gauge galvanized steel cover that is fitted over top and sides of wood core, 1 13/16" thick.

PART NO.	LENGTH
30" deep	
LSTOP-48	48"
LSTOP-60	60"
LSTOP-72	72"
LSTOP-84	84"
LSTOP-90	90"
LSTOP-96	96"
36" deep	
LSTOP-4836	48"
LSTOP-6036	60"
LSTOP-7236	72"
LSTOP-8436	84"
LSTOP-9036	90"
LSTOP-9636	96"



Stainless Steel Over Wood

Worksurface is constructed of durable, heavy gauge stainless steel, fitted over top and sides of wood core, 1 13/16" thick.

PART NO.	LENGTH
30" deep	
LSSTOP-48	48"
LSSTOP-60	60"
LSSTOP-72	72"
LSSTOP-84	84"
LSSTOP-90	90"
LSSTOP-96	96"
36" deep	
LSSTOP-48X36	48"
LSSTOP-60X36	60"
LSSTOP-72X36	72"
LSSTOP-84X36	84"
LSSTOP-90X36	90"
LSSTOP-96X36	96"



Plastic Laminate

Particle board core with plastic laminated top and sides. 1 9/16" thick. Dove gray is standard but other colors are available on request. Available in standard square edge or bullnose front edge (shown above). To order a bullnose edge, add "BN" to the end of the part number.

PART NO.	LENGTH
24" deep	
PTOP-4824	48"
PTOP-6024	60"
PTOP-7224	72"
PTOP-8424*	84"
PTOP-9024*	90"
PTOP-9624*	96"
30" deep	
PTOP-48	48"
PTOP-60	60"
PTOP-72	72"
PTOP-84*	84"
PTOP-90*	90"
PTOP-96*	96"
36" deep	
PTOP-4836	48"
PTOP-6036	60"
PTOP-7236	72"
PTOP-8436*	84"
PTOP-9036*	90"
PTOP-9636*	96"

*requires additional support (third leg or hat section stiffener)

Lista Legs

Each welded one-piece leg assembly is 2 1/2" wide heavy gauge steel. Each foot has a bottom hole for leveling glide (included) or anchoring. Height shown includes leveling glide.



PART NO.	WORKSURFACE DEPTH
27 1/2" (700mm) high	
WBLL27.5X22.5	24" (610mm)
WBLL27.5X28.5	30" (762mm)
WBLL27.5X34.5	36" (915mm)
29 1/2" (750mm) high	
WBLL29.5X22.5	24" (610mm)
WBLL29.5X28.5	30" (762mm)
WBLL29.5X34.5	36" (915mm)
31 1/2" (800mm) high	
WBLL31.5X22.5	24" (610mm)
WBLL31.5X28.5	30" (762mm)
WBLL31.5X34.5	36" (915mm)
33 1/2" (850mm) high	
WBLL33.5X22.5	24" (610mm)
WBLL33.5X28.5	30" (762mm)
WBLL33.5X34.5	36" (915mm)
35 1/2" (900mm) high	
WBLL35.5X22.5	24" (610mm)
WBLL35.5X28.5	30" (762mm)
WBLL35.5X34.5	36" (915mm)
39 1/2" (1000mm) high	
WBLL39.5X22.5	24" (610mm)
WBLL39.5X28.5	30" (762mm)
WBLL39.5X34.5	36" (915mm)

Lista Mobile Legs

Same basic construction as the Lista Leg but with 2 factory mounted 6" heavy duty casters. Leg is available with either fixed casters or swivel casters with wheel locks. Requires stringer.



Fixed Casters

PART NO.	WORKSUR. DPTH.
33 1/2" (850mm) overall height	
WBLL/M33.5X22.5R6B	24" (610mm)
WBLL/M33.5X28.5R6B	30" (762mm)
WBLL/M33.5X34.5R6B	36" (915mm)
35 1/2" (900mm) overall height	
WBLL/M35.5X22.5R6B	24" (610mm)
WBLL/M35.5X28.5R6B	30" (762mm)
WBLL/M35.5X34.5R6B	36" (915mm)

Swivel Casters

PART NO.	WORKSUR. DPTH.
33 1/2" (850mm) overall height	
WBLL/M33.5X22.5S6B	24" (610mm)
WBLL/M33.5X28.5S6B	30" (762mm)
WBLL/M33.5X34.5S6B	36" (915mm)
35 1/2" (900mm) overall height	
WBLL/M35.5X22.5S6B	24" (610mm)
WBLL/M35.5X28.5S6B	30" (762mm)
WBLL/M35.5X34.5S6B	36" (915mm)

Panel Legs

Same basic construction as the Lista Leg with a formed panel welded in place. Includes leveling glides.



PART NO.	WORKSURFACE DPTH.
27 1/2" (700mm) high	
WBLL/P27.5X22.5	24" (610mm)
WBLL/P27.5X28.5	30" (762mm)
WBLL/P27.5X34.5	36" (915mm)
29 1/2" (750mm) high	
WBLL/P29.5X22.5	24" (610mm)
WBLL/P29.5X28.5	30" (762mm)
WBLL/P29.5X34.5	36" (915mm)
31 1/2" (800mm) high	
WBLL/P31.5X22.5	24" (610mm)
WBLL/P31.5X28.5	30" (762mm)
WBLL/P31.5X34.5	36" (915mm)
33 1/2" (850mm) high	
WBLL/P33.5X22.5	24" (610mm)
WBLL/P33.5X28.5	30" (762mm)
WBLL/P33.5X34.5	36" (915mm)
39 1/2" (1000mm) high	
WBLL/P39.5X22.5	24" (610mm)
WBLL/P39.5X28.5	30" (762mm)
WBLL/P39.5X34.5	36" (915mm)

Mobile Panel Legs

Same basic construction as the Panel Leg but with 2 factory mounted 6" heavy duty casters. Available with either fixed casters or swivel casters with wheel locks.




Fixed Casters

PART NO.	WORKSUR. DPTH.
33 1/2" (850mm) overall height	
WBLL/MP33.5X22.5R6B	24" (610mm)
WBLL/MP33.5X28.5R6B	30" (762mm)
WBLL/MP33.5X34.5R6B	36" (915mm)
35 1/2" (900mm) overall height	
WBLL/MP35.5X22.5R6B	24" (610mm)
WBLL/MP35.5X28.5R6B	30" (762mm)
WBLL/MP35.5X34.5R6B	36" (915mm)

Swivel Casters


PART NO.	WORKSUR. DPTH.
33 1/2" (850mm) overall height	
WBLL/MP33.5X22.5S6B	24" (610mm)
WBLL/MP33.5X28.5S6B	30" (762mm)
WBLL/MP33.5X34.5S6B	36" (915mm)
35 1/2" (900mm) overall height	
WBLL/MP35.5X22.5S6B	24" (610mm)
WBLL/MP35.5X28.5S6B	30" (762mm)
WBLL/MP35.5X34.5S6B	36" (915mm)



Stringers/Foot Rests

Telescoping heavy gauge U channel with 2 mounting holes on each end plate.

PART NO.	WORKSURF. LENGTH
WBLST48/■ ■	48"
WBLST60/■ ■	60"
WBLST72/■ ■	72"
WBLST84/■ ■	84"
WBLST90/■ ■	90"
WBLST96/■ ■	96"



Bottom Shelves

Telescoping heavy gauge steel shelf, 12" deep, for use as storage or foot rest. 150 lb. weight capacity for evenly distributed loads, except as noted.

PART NO.	WORKSURF. LENGTH
WBLBS48/■ ■	48"
WBLBS60/■ ■	60"
WBLBS72/■ ■	72"
WBLBS84/■ ■	84"
WBLBS90/■ ■ *	90"
WBLBS96/■ ■ *	96"

*100 lb. weight capacity

How to order stringers and bottom shelves

- Select part number based on workbench length.
- Specify left-hand (facing the workbench) bench support.
 - LL = Lista Leg or Panel Leg
 - NW = NW cabinet
 - MP = MP cabinet
- Specify right-hand (facing the workbench) bench support.
 - LL = Lista Leg or Panel Leg
 - NW = NW cabinet
 - MP = MP cabinet

EXAMPLE: to order a bottom shelf for a workbench with a 72" work-surface, an MP Width cabinet as the left-hand pedestal and a Lista Leg as the right-hand support, the part number would be **WBLBS72/MPLL**.



Privacy Panels

Steel panel attaches to leg or cabinet and runs full length of work-surface. 22 3/4" high.

PART NO.	WORKSURF. LENGTH
WBLPP22.8X48	48"
WBLPP22.8X60	60"
WBLPP22.8X72	72"
WBLPP22.8X84	84"
WBLPP22.8X90	90"
WBLPP22.8X96	96"

Leg Heights

Use the leg heights shown below to match a cabinet pedestal in a leg-plus-cabinet below-worksurface configuration. For a selection of drawer cabinets to serve as pedestals for workbenches, see pages 60-69.

LEG HEIGHT	MATCHES CAB. PEDESTAL
27 1/2"	600 height without base
29 1/2"	600 height with 2" base
31 1/2"	600 height with 4" base
33 1/2"	600 height with 6" base
	750 height without base
35 1/2" (mobile)	600 height w/ mobile base
39 1/2"	900 height without base
	750 height with 6" base

The bench components on this page allow you to customize above the worksurface for your particular needs.

All parts must be ordered separately to match the length of the worksurface you have chosen.

How to order workbench above-worksurface accessories

1. Select worksurface length and depth (see page 56).
2. Select back stop, end stop, shelf or panel part numbers to correspond to both length and depth of worksurface.
3. Specify paint color from the chart on the back cover.

Overhead Cabinets

For a selection of overhead cabinets for additional storage above 15" deep stationary riser shelves, see our General Storage Catalog.



Above-worksurface accessories using the Nexus System are shown on pages 76-85.



Back Stops and End Stops

Steel back stops and end stops have rounded corners. Stops extend approximately 3" above the worksurface. For use with worksurfaces or shelves.

Back Stops

PART NO.	WORKSURFACE LENGTH
WBTBS-48	48"
WBTBS-60	60"
WBTBS-72	72"
WBTBS-84	84"
WBTBS-90	90"
WBTBS-96	96"

End Stops (pair)

PART NO.	WORKSURFACE DEPTH
WBTES-22	24"
WBTES-28	30"
WBTES-34	36"



Adjustable Riser Shelf Assemblies

Shelves measure 1 3/4" thick x 12" deep. Shelf height can be adjusted in 1 1/2" increments from 12"-18". A steel back stop is available for the shelf assembly (ordered separately – see above). Includes the number of adjustable support brackets shown in the charts.

Assemblies with Plastic Laminate Shelf

PART NO.	WKSURF. LGTH.	# SUPPORTS
ARS48P	48"	2
ARS60P	60"	2
ARS72P	72"	2
ARS84P	84"	3
ARS90P	90"	3
ARS96P	96"	3

Assemblies w/Butcher Block Shelf

PART NO.	WKSURF. LGTH.	# SUPPORTS
ARS48B	48"	2
ARS60B	60"	2
ARS72B	72"	2
ARS84B	84"	2
ARS90B	90"	3
ARS96B	96"	3

Adjustable Support Bracket

Bracket supports riser shelf. May be required to supplement the supports included with shelf assemblies (see charts above) for support of long shelves or shelves carrying heavy loads.

PART NO.
ARS-BR



Stationary Riser Shelves – 10 1/2" deep

Made of steel to support heavy loads. Shelf is 13 1/2" overall height (12" clearance). Optional louvered closed back rear panel is shown above.

Open Riser Shelves

Open shelf (open back, no shelf back stop)

PART NO.	WORKSURFACE LENGTH
SRS48	48"
SRS60	60"
SRS72	72"
SRS84	84"
SRS90	90"
SRS96	96"

Open Riser Shelves with Shelf Back Stop

Shelf with back stop (open back)

PART NO.	WORKSURFACE LENGTH
SRS48-1	48"
SRS60-1	60"
SRS72-1	72"
SRS84-1	84"
SRS90-1	90"
SRS96-1	96"

Riser Shelves with Full Panel

Solid closed back, with shelf back stop

PART NO.	WORKSURFACE LENGTH
SRS48-2	48"
SRS60-2	60"
SRS72-2	72"
SRS84-2	84"
SRS90-2	90"
SRS96-2	96"

Pegboard closed back, with shelf back stop

PART NO.	WORKSURFACE LENGTH
SRS48-2P	48"
SRS60-2P	60"
SRS72-2P	72"
SRS84-2P	84"
SRS90-2P	90"
SRS96-2P	96"

Louvered closed back, with shelf back stop (shown above)

PART NO.	WORKSURFACE LENGTH
SRS48-2L	48"
SRS60-2L	60"
SRS72-2L	72"
SRS84-2L	84"
SRS90-2L	90"
SRS96-2L	96"



Stationary Riser Shelves – 15" deep

Provides additional storage depth. Particularly suited for supporting overhead cabinets. Shelf is 13 1/2" overall height (12" clearance). Optional pegboard closed back rear panel is shown above.

Open Riser Shelves

Open shelf (open back, no shelf back stop)

PART NO.	WORKSURFACE LENGTH
SRS48-15D	48"
SRS60-15D	60"
SRS72-15D	72"
SRS84-15D	84"
SRS90-15D	90"
SRS96-15D	96"

Open Riser Shelves with Shelf Back Stop

Shelf with back stop (open back)

PART NO.	WORKSURFACE LENGTH
SRS48-1-15D	48"
SRS60-1-15D	60"
SRS72-1-15D	72"
SRS84-1-15D	84"
SRS90-1-15D	90"
SRS96-1-15D	96"

Riser Shelves with Full Panel

Solid closed back, with shelf back stop


PART NO.	WORKSURFACE LENGTH
SRS48-2-15D	48"
SRS60-2-15D	60"
SRS72-2-15D	72"
SRS84-2-15D	84"
SRS90-2-15D	90"
SRS96-2-15D	96"

Pegboard closed back, with shelf back stop (shown above)

PART NO.	WORKSURFACE LENGTH
SRS48-2P-15D	48"
SRS60-2P-15D	60"
SRS72-2P-15D	72"
SRS84-2P-15D	84"
SRS90-2P-15D	90"
SRS96-2P-15D	96"

Louvered closed back, with shelf back stop

PART NO.	WORKSURFACE LENGTH
SRS48-2L-15D	48"
SRS60-2L-15D	60"
SRS72-2L-15D	72"
SRS84-2L-15D	84"
SRS90-2L-15D	90"
SRS96-2L-15D	96"



These are the basic steps required for ordering custom workbenches from Lista.

TO ORDER AN EASY-ORDER COMBINATION (WORKBENCH WITH PRECONFIGURED ACCESSORIES):

- PAGES 52-53 FOR INDUSTRIAL WORKBENCHES
- PAGES 54-55 FOR INDUSTRIAL MOBILE WORKBENCHES

1 Select work surface

Select the work surface that best suits your needs from the choices on page 56. Choose the work surface length, depth and style that you prefer.

2 Select below-work surface accessories or bases

Select either 2-leg, 1-leg-with-cabinet or 2-cabinet configuration. Legs, stringers, bottom shelves and privacy panels are shown on page 57. Hanging cabinets are shown on page 36. To select a cabinet pedestal(s), please see pages 60-69.

3 Select above-work surface accessories

Select the back stop and end stops (page 58), shelves (stationary or adjustable – see page 58) and/or Nexus System components (pages 76-85) that suit your needs.

4 Select colors

Select a color from the chart on the back cover. Cabinet housing and drawer fronts can be different colors, but drawer interiors are always gray.

Sample Workbench Order

QTY.	PART NO.	DESCRIPTION	
1	BTOP-60	butcher block work surface	1
1	WBLL33.5X28.5	Lista Leg	2
1	WBLST6OLLMP	stringer	2
1	MP0600-0402-F6RGG	Easy-Order cabinet pedestal	2
1	WBTBS-60	back stop	3
1	ARS60B	butcher block adjustable riser shelf	3
1	WBTBS-60	shelf back stop	3
	BB	bright blue paint	4